



Insitu ETEM Observation on the Termination and Multiple Growth of Single-Wall Carbon Nanotubes

Zhang, Lili; Hansen, Thomas Willum; He, Maoshuai; Kling, Jens; Jiang, Hua; Kauppinen, Esko I.; Wagner, Jakob Birkedal

Publication date:
2015

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Zhang, L., Hansen, T. W., He, M., Kling, J., Jiang, H., Kauppinen, E. I., & Wagner, J. B. (2015). *Insitu ETEM Observation on the Termination and Multiple Growth of Single-Wall Carbon Nanotubes*. Abstract from Guadalupe Workshop VII, Bandera, TX, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

***In situ* ETEM Observation on the Termination and Multiple Growth of Single-Wall Carbon Nanotubes**

Lili Zhang,¹ Thomas W. Hansen,¹ Maoshuai He,² Jens Kling,¹ Hua Jiang,³ Esko I. Kauppinen,³ Jakob B. Wagner¹

¹Technical University of Denmark, Center for Electron Nanoscopy, Fysikvej 307, 2800 Kgs. Lyngby, Denmark

²Laboratoire d'Étude des Microstructures, ONERA-CNRS, BP 72, 92322 Châtillon CEDEX, France

³Department of Applied Physics, Aalto University School of Science, P.O. Box 15100, FI-00076 Aalto, Finland

Phone: +45-5269-6573

E-mail: lilizha@dtu.dk

Understanding the mechanism for growth termination of single-wall carbon nanotubes (SWCNTs) is of great importance for maximizing the quality and yield, and for controlling their structure. Generally, it involves the deactivation of catalysts by carbon encapsulation or morphology evolution (Ostwald ripening), and the diffusion-limited supply of carbon feedstock to the catalyst. However, the detailed microscopic causes of tube growth cessation are still lacking. Here we show the direct experimental evidence on the growth and termination of SWCNTs from Co/MgO catalysts using CO as carbon source inside the environmental transmission electron microscope (ETEM) (see [1, 2]). The evolution of the interfacial structure of the catalyst and SWCNT are recorded during the above processes. Interestingly, new tubes are able to nucleate and grow from the same particle that is abruptly deactivated for the initial SWCNT, suggesting a different nucleation and termination process.

Reference

- [1] He, M., et al.; Chiral-Selective Growth of Single-Walled Carbon Nanotubes on Lattice-Mismatched Epitaxial Cobalt Nanoparticles. *Sci. Rep.*, 3, 2013
- [2] Hansen, T.W.; J.B. Wagner; Catalysts under Controlled Atmospheres in the Transmission Electron Microscope. *ACS Catal.*, 4, 1673, 2014